



ADVANTAGE ORTHOPAEDICS, P.C.

William O. Thompson, MD

**695 Dutchess Turnpike
Poughkeepsie, NY 12603
(845) 473-2100
(845) 473-2910 Fax**

**525 East 71st ST
New York, NY 10021
(212) 606-1733
(845) 473-2910 Fax**

POST-OPERATIVE INSTRUCTIONS

ARTHROSCOPIC ELBOW DEBRIDEMENT

1. Remove the dressing on post-op day #2.
2. Apply a Band-Aids or sterile gauze pads to the wounds if there is any drainage. Do not use bacitracin or other ointments under the bandage and rewrap the ace wrap.
3. You may shower on postoperative day #2; however, do not get the wound wet. Cover the elbow with a waterproof dressing or saran wrap, or put the arm in a large plastic bag and seal it with tape. Keep the arm elevated to avoid water running down into the dressing. If you get the wound wet, pat dry with a sterile gauze pad and redress it. Keep the wound dry at all times, until your sutures are removed by the doctor.
4. Keep your hand elevated to minimize swelling as much as possible the first two days and then as necessary. Keep your arm in a sling for several days to minimize swelling and discomfort. You may come out of the sling for bathing and twice daily for assisted range of motion exercises at the elbow, wrist and hand. (Straightening and bending using the opposite hand for assistance)
5. Please call the office to schedule a follow-up appointment 10 -14 days post-operatively.
6. If you develop a fever (101.5), redness or drainage from the surgical incision site, please call our office to arrange for an evaluation.
8. Enclosed is a prescription for you to use post-operatively. Vicoden or Tylenol #3 are narcotics, and are to be used on an “as needed” basis for pain. You may experience nausea with these medications so take them with a small amount of food.

If you have any questions, please feel free to call our office.